

Trade name: ArmaGel XGC**Current version :** 1.0.0, issued: 12.02.2025**Replaced version:** -, issued: -**Region:** GB**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name****ArmaGel XGC****1.2 Relevant identified uses of the substance or mixture and uses advised against****Relevant identified uses of the substance or mixture**

Thermal insulation for pipe-work, vessels and related installation

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet**Address**Armacell GmbH
Robert-Bosch-Straße 10
48153 Münster
Deutschland

Telephone no. +49 (0) 251 - 7603-200

Fax no. +49 (0) 251 - 7603-561

e-mail info.de@armacell.com

Information provided by / telephone

Dr. Heribert Quante, Tel.: +49 (0) 251 - 7603-227

Advice on Safety Data Sheet

heribert.quante@armacell.com

AddressArmacell UK Ltd
Mars Street
OL9 6LY Oldham
United Kingdom

email: info.armaform@armacell.com

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

This product does not meet the classification criteria given in the Regulation (EC) No 1272/2008 (CLP).

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)****Hazard pictograms**

-

Signal word

-

Trade name: ArmaGel XGC

Current version : 1.0.0, issued: 12.02.2025

Replaced version: -, issued: -

Region: GB

Hazard statement(s)

-

Hazard statements (EU)

EUH210 Safety data sheet available on request.

Precautionary statement(s)

-

Labelling information

The labelling (EU hazard statements) meets the criteria of annex II of Directive (EC) Nr. 1272/2008 (CLP).

The value from Directive 2004/37/EC (see entry no.1 in section 8.1) is not applicable to this product, as it is amorphous silicon dioxide.

2.3 Other hazards

Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat. Does not contain any substances greater than 0.1% listed as carcinogenic by IARC (International Agency for Research on Cancer), NTP (National Toxicology Program), OSHA (Occupational Safety and Health Administration), ACGIH (American Conference for Governmental Industrial Hygienists) or EU (European Union). See also Section 11. This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

PBT assessment

The product is not considered to be a PBT.

vPvB assessment

The product is not considered to be a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration %
1	silicon dioxide, chemically prepared		
	7631-86-9 231-545-4 - -	-	30.00 - 45.00 wt%
2	Aluminium massive		
	7429-90-5 231-072-3 - -	-	1.00 - 10.00 wt%
3	diiron trioxide		
	1309-37-1 215-168-2 - -	-	1.00 - 4.00 wt%

Full text of H- and EUH-phrases, if not already mentioned in section 2.2: see section 16.

Additional ingredients

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration %
1	Glass, oxide, chemicals		
	65997-17-3 266-046-0 - -	-	45.00 - 65.00 wt%

Trade name: ArmaGel XGC

Current version : 1.0.0, issued: 12.02.2025

Replaced version: -, issued: -

Region: GB

2	polyethylene			
	9002-88-4	-	1.00 - 7.00	wt%
	-			
	-			
	-			
3	Graphite, natural			
	928-876-8	-	0.00 - 3.00	wt%
	-			
	-			
	-			
4	polyethylene terephthalate			
	25038-59-9	-	0.00 - 3.00	wt%
	-			
	-			
	-			

3.3 Other information

Glass, oxide, chemicals (CAS 65997-17-3) from continuous filament, non-respirable; amorphous silica

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes and launder thoroughly before reusing.

After inhalation

Ensure supply of fresh air. In case of persisting adverse effects consult a physician.

After skin contact

When in contact with the skin, clean with soap and water. Get medical attention if pain still persists.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get medical attention if pain still persists.

After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing measures to suit surroundings.

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In case of ambient fire possible release of: Oxides of silica; Iron oxide; Carbon oxides (COx); Aluminium oxide

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Trade name: ArmaGel XGC

Current version : 1.0.0, issued: 12.02.2025

Replaced version: -, issued: -

Region: GB

Refer to protective measures listed in sections 7 and 8. avoid dust development

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Collect mechanically. Avoid raising dust. When collected, handle material as described under the section heading "Disposal considerations".

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Avoid the formation and deposition of dust.

General protective and hygiene measures

Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke during work time. Remove soiled or soaked clothing immediately. Avoid contact with eyes and skin. Do not inhale dust.

Advice on protection against fire and explosion

Pay attention to general rules of internal fire prevention. Keep away from sources of ignition. Take precautionary measures against static charges. Avoid formation of dust.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Store in a dry place.

Requirements for storage rooms and vessels

Keep only in the original container.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	silicon dioxide, chemically prepared	7631-86-9	231-545-4
	List of approved workplace exposure limits (WELs) / EH40		
	Silica, amorphous inhalable dust		
	WEL long-term (8-hr TWA reference period)	6	mg/m ³
	List of approved workplace exposure limits (WELs) / EH40		
	Silica, amorphous respirable dust		
	WEL long-term (8-hr TWA reference period)	2.4	mg/m ³
	2004/37/EC		
	Respirable crystalline silica dust		
	WEL long-term (8-hr TWA reference period)	0,1 (9)	mg/m ³
2	Aluminium massive	7429-90-5	231-072-3
	List of approved workplace exposure limits (WELs) / EH40		
	Aluminium metal inhalable dust		
	WEL long-term (8-hr TWA reference period)	10	mg/m ³
	List of approved workplace exposure limits (WELs) / EH40		

Trade name: ArmaGel XGC

Current version : 1.0.0, issued: 12.02.2025

Replaced version: -, issued: -

Region: GB

	Aluminium metal respirable dust		
	WEL long-term (8-hr TWA reference period)	4	mg/m³
3	diiron trioxide	1309-37-1	215-168-2
	List of approved workplace exposure limits (WELs) / EH40		
	Iron oxide		
	fume		
	Fe		
	WEL short-term (15 min reference period)	10	mg/m³
	WEL long-term (8-hr TWA reference period)	5	mg/m³
	List of approved workplace exposure limits (WELs) / EH40		
	Rouge		
	total inhalable dust		
	WEL long-term (8-hr TWA reference period)	10	mg/m³
	List of approved workplace exposure limits (WELs) / EH40		
	Rouge		
	respirable dust		
	WEL long-term (8-hr TWA reference period)	4	mg/m³
4	Dust		
	List of approved workplace exposure limits (WELs) / EH40		
	Dust respirable		
	WEL long-term (8-hr TWA reference period)	4	mg/m³
	Comments	see Definition 44 "Dust"	
	List of approved workplace exposure limits (WELs) / EH40		
	Dust inhalable		
	WEL long-term (8-hr TWA reference period)	10	mg/m³
	Comments	see Definition 44 "Dust"	

Other information

The value from Directive 2004/37/EC (see entry no.1 in section 8.1) is not applicable to this product, as it is amorphous silicon dioxide.

8.2 Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, local exhaust at the work station if necessary.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of dust formation, take appropriate measures for breathing protection in the event that workplace threshold values are not specified. Dust mask

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product.

Appropriate Material Leather

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation
solid
Form
Solid

Trade name: ArmaGel XGC

Current version : 1.0.0, issued: 12.02.2025

Replaced version: -, issued: -

Region: GB

Colour			
grey			
Odour			
No data available			
pH value			
No data available			
Boiling point / boiling range			
No data available			
Melting point/freezing point			
No data available			
Decomposition temperature			
No data available			
Flash point			
Not applicable			
Source		supplier	
Ignition temperature			
No data available			
Flammability			
not flammable			
Lower explosion limit			
No data available			
Upper explosion limit			
No data available			
Vapour pressure			
Not applicable			
Source		supplier	
Relative vapour density			
Not applicable			
Source		supplier	
Evaporation rate			
Not applicable			
Source		supplier	
Relative density			
No data available			
Density			
Value		180 kg/m³	
Source		supplier	
Solubility			
No data available			
Partition coefficient n-octanol/water (log value)			
No data available			
Kinematic viscosity			
No data available			
Particle characteristics			
No data available			

9.2 Other information

Other information			
No data available.			

Trade name: ArmaGel XGC

Current version : 1.0.0, issued: 12.02.2025

Replaced version: -, issued: -

Region: GB

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

None, when used as directed.

10.4 Conditions to avoid

Do not expose to conditions that exceed maximum service temperature. Avoid formation of dust.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

None if stored, handled and transported properly. In case of fire: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

No data available

Acute dermal toxicity

No data available

Acute inhalational toxicity

No data available

Skin corrosion/irritation

No data available

Serious eye damage/irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Reproduction toxicity

No data available

Carcinogenicity

Product Name

ArmaGel XGC

Route of exposure

inhalative

Source

supplier

Comments

amorphous material

Evaluation/classification

Based on available data, the classification criteria are not met.

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration hazard

No data available

Endocrine disrupting properties

Trade name: ArmaGel XGC

Current version : 1.0.0, issued: 12.02.2025

Replaced version: -, issued: -

Region: GB

No data available

11.2 Information on other hazards

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)

No data available

Toxicity to fish (chronic)

No data available

Toxicity to Daphnia (acute)

No data available

Toxicity to Daphnia (chronic)

No data available

Toxicity to algae (acute)

No data available

Toxicity to algae (chronic)

No data available

Bacteria toxicity

No data available

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment

Product Name

ArmaGel XGC

PBT assessment

The product is not considered to be a PBT.

vPvB assessment

The product is not considered to be a vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste code 10 11

wastes from manufacture of glass and glass products

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

dispose of in accordance with local regulation.

Trade name: ArmaGel XGC

Current version : 1.0.0, issued: 12.02.2025

Replaced version: -, issued: -

Region: GB

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

14.2 UN proper shipping name

Not classified as dangerous in the meaning of transport regulations.

14.3 Transport hazard class(es)

Not classified as dangerous in the meaning of transport regulations.

14.4 Packing group

Not classified as dangerous in the meaning of transport regulations.

14.5 Environmental hazards

Not classified as dangerous in the meaning of transport regulations.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	Aluminium massive	7429-90-5	231-072-3	75
2	diiron trioxide	1309-37-1	215-168-2	75

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Entry 75 is not applicable to the product as it is not used for the preparation of colourants for tattooing purposes. Adhere to the national regulations when using this product.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

Trade name: ArmaGel XGC

Current version : 1.0.0, issued: 12.02.2025

Replaced version: -, issued: -

Region: GB

Further information

Authors responsible for the compilation of the material safety data sheet: UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de.

The information is based on our current knowledge however it does not represent a guarantee of product properties nor does it create any legal obligation.

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.
Prod-ID 807267